

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|------------------|
| L5 | 7211 | ((creat\$3 or generat\$3 or instantiat\$3) adj5 (program or routine or software or module or function or procedure or method)) with (transform\$5 or translat\$3 or transfer\$4 or migrat\$3) with (data or content or information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L6 | 88 | L5 and (big-endian or (big adj endian) or endian) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L7 | 22133 | ((creat\$3 or generat\$3) with (program or routine or software or module or function or procedure or architecture)) with (transform\$5 or translat\$3 or transfer\$4 or migrat\$3) with (data or content or information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L8 | 17340 | L7 and ((tranform\$5 or translat\$3 or transfer\$4 or migrat\$3) with (data or binary)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L9 | 105662 | ((creat\$3 or generat\$3) with (code or transformat\$3 or translat\$3 or convert\$3 or routine or software or module or function or procedure or architecture)) with (transform\$5 or translat\$3 or transfer\$4 or convert\$3 or migrat\$3) with (data or instruction\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L10 | 16930 | L9 and ((translat\$3 or translat\$3 or covert\$3) with (binary or data or instruction or code or object)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L11 | 3820 | L10 and map\$4 and extract\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| L12 | 2110 | L11 and (source and target) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L13 | 1429 | L12 and ((generat\$3 or creat\$3 or instantiat\$3) with source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L14 | 830 | L13 and ((generat\$3 or creat\$3 or instantiat\$3) with target) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L15 | 183 | L14 and (map\$4 with (source and target)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L16 | 226 | L8 and (big-endian or (big adj endian) or endian) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L17 | 137 | L15 and ((routine\$1 or program or tool or transform\$5 or conver\$4 or translat\$3 or procedure or module) with extract\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L18 | 6591 | (creat\$3 or generat\$3) near3 (transform\$4 or translat\$3 or conver\$4) near3 (routine or program or module or procedure or software) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| L19 | 3 | ((creat\$3 or generat\$3) with (code or transform\$3 or translat\$3 or convert\$3 or routine or software or module or function or procedure or architecture) near3 map\$3 near3 (source and target)) with (transform\$5 or translat\$3 or transfer\$4 or convert\$3 or migrat\$3) with (data or instruction\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L20 | 2177 | (creat\$3 or generat\$3) near3 (transform\$4 or translat\$3 or conver\$4) near3 (routine or program or module or procedure or software) with (transform\$5 or translat\$3 or conver\$4) with (data or binary or instruction) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L21 | 1720 | L20 and (target or destination or first) and (source or original or second) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L22 | 75 | L21 and "712"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L23 | 197 | L21 and "717"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L24 | 2 | "20030014550" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L25 | 138 | L16 not L6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |

EAST Search History

| | | | | | | |
|-----|--------|---|---|----|----|------------------|
| L26 | 27 | ((generat\$3 or creat\$3 or instatiat\$3) near3 (source adj (model\$3 or code or structure or type))) same ((generat\$3 or creat\$3 or instantiat\$3) near3 (target adj (model\$3 or code or structure or type))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L27 | 105929 | ((creat\$3 or generat\$3) with (program or transformat\$3 or translat\$3 or convert\$3 or routine or software or module or function or procedure or architecture)) with (transform\$5 or translat\$3 or transfer\$4 or convert\$3 or migrat\$3) with (data or instruction\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L28 | 105735 | L27 not (L25 or L6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L29 | 105798 | L27 not L25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L30 | 694 | L27 and (big-endian or (big adj endian) or endian) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L31 | 500 | L30 not (L25 or L6) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L32 | 117 | L31 and "712"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| L33 | 100 | L27 and (source near3 model) and (target near3 model) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L34 | 71 | L33 and (map\$4 with (source and target)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L35 | 105662 | ((creat\$3 or generat\$3) with (code or transform\$3 or translat\$3 or convert\$3 or routine or software or module or function or procedure or architecture)) with (transform\$5 or translat\$3 or transfer\$4 or convert\$3 or migrat\$3) with (data or instruction\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L36 | 5098 | L35 and ((transform\$4 or translat\$3 or conver\$4) with (database or (data adj base)) with data) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L37 | 871 | L36 and ((target or source) near3 (database or (data adj base))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L38 | 146 | L36 and "717"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L39 | 333 | L36 and ((target) near3 (database or (data adj base))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L40 | 722 | L36 and (source near3 (database or (data adj base))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L41 | 184 | L39 and (source near3 (database or (data adj base))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |
| L42 | 2 | ((sanyal near dibyapran) and (chatterjee near arijit) and (keerthi near bhushan)).in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/08/02 15:06 |